


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE SSC CONTROLS COMPANY AND IS NOT TO BE USED, REPRODUCED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN PERMISSION OF THE SSC CONTROLS COMPANY.





ELECTRICAL RATING: 13 AMPS @ 125/250 VAC  
 WIRED BOTH NORMALLY OPEN (N.O.) AND NORMALLY CLOSED (N.C.)  
 8-FT CABLE LENGTH  
 ENCLOSURE RATING: IP-21 (IEC 60529)


AVAILABLE IN EITHER MOMENTARY ACTION OR MAINTAINED ACTION:  
 S100-1342: MOMENTARY ACTION -- PRESS AND HOLD TO TURN ON, RELEASE TO TURN OFF (LIKE A CAR HORN)  
 S420-1342: MAINTAINED ACTION -- PRESS ONCE TO TURN ON, PRESS AGAIN TO TURN OFF (LIKE A LIGHT SWITCH)

NOTE: THESE MODELS ARE WIRED BOTH "NORMALLY OPEN" (N.O.) AND "NORMALLY CLOSED" (N.C.), WITH ONE COMMON LEAD. POWER LEADS ALTERNATE WHEN SWITCH IS PRESSED.

WARNING: CONSULT A CERTIFIED ELECTRICIAN TO DETERMINE AMPERAGE, VOLTAGE, AND OTHER REQUIREMENTS FOR YOUR APPLICATION. ONLY A CERTIFIED ELECTRICIAN SHOULD INSTALL THE FOOT SWITCH. FOLLOW ALL LOCAL AND NATIONAL ELECTRICAL AND SAFETY REGULATIONS WHEN INSTALLING OR USING ANY FOOT SWITCH.



S100-1342  
(SHAFT IS AT FAR END)



S420-1342  
(SHAFT IS TOWARDS CENTER)

## The SSC Controls Company

8909 EAST AVENUE  
 MENTOR, OHIO, USA 44060

UNLESS OTHERWISE SPECIFIED,  
 DIMENSIONS ARE IN INCHES  
 AND TOLERANCES ARE AS FOLLOWS:

FOR 2 DECIMAL PLACES: ± .02  
 FOR 3 DECIMAL PLACES: ± .002  
 FOR ANGLES: ± .5 OF A DEGREE

DRAWING INFORMATION

DRAWN BY: BAM

CHECKED BY: JEM

DATE: 2/28/11

SCALE: NONE

DRAWING NAME:

**S100-1342 AND S420-1342  
 WIRING DIAGRAM**

DRAWING NUMBER:

N/A